



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content, „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### 1.1. Product identifier

<i>Product name:</i>	<b>PRIMER SC</b>
<i>Hazardous substances:</i>	Tetrachloroethylene CAS No 127-18-4; Ethyl acetate CAS No 141-78-6;
<i>Register number:</i>	698510000087

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<i>Product purpose:</i>	Basic coating for metal made on the basis of special polymers
<i>Identified uses of the chemical:</i>	Is used when bonding rubber on metal with <b>BSC 2000, BSC 2002, BSC 3000, BSC 4000, BSC 5000</b> and <b>BSC 6000</b> adhesives.
<i>Restrictions on use:</i>	It can only be used for recommended uses

### 1.3. Details of supplier of the safety data sheet

<i>Manufacturer:</i>	<b>INTERSTIK d.o.o.</b>
<i>Address:</i>	Borova 60 Street, 18000 Nis, Serbia
<i>Phone:</i>	+381 18 574 570
<i>E- mail of the person responsible for the content of SDS:</i>	<a href="mailto:office@interstik.com">office@interstik.com</a>

### 1.4. Emergency telephone number

<i>Poison Control Centre:</i>	The telephone number of the country's poison control center
-------------------------------	---



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

## SECTION 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

<b>Classification in accordance with CLP/GHS:</b> <i>Pursuant to the Regulations on classification, packing, labelling and advertising chemicals and products in accordance with the GHS UN („Official Gazette of RS“ no. 105/13,52/17;21/19;40/23 Regulation EC No 1272/2008)</i>	Flammable liquid 2, H225 Carc. 2, H351 Skin irritation 2, H319 STOT SE 3 , H336 Aquatic chronic 2, H411
<b>Most important physical and chemical effects:</b>	Highly flammable liquid and vapour
<b>Adverse effects on human health:</b>	It is suspected that it can lead to cancer
<b>Effects on the environment:</b>	Toxic to aquatic life with long lasting effects

### 2.2. Label elements

#### Labeling in accordance with CLP/GHS:

*Pursuant to the Regulations on classification, packing, labelling and advertising chemicals and products in accordance with the GHS UN („Official Gazette of RS“ no. 105/13,52/17;21/19;40/23 Regulation EC No 1272/2008)*

GHS pictogram	 GHS02    GHS08    GHS07    GHS09
Signal word:	Danger
Hazard statements: (H )	
Physical danger	H225: Highly flammable liquid and vapour
Danger to human health	H351: Suspected of causing cancer H319: Causes serious eye irritation H336: May cause drowsiness or dizziness
Danger to the environment	H411: Toxic to aquatic life with long-lasting effects
Additional hazard statements:	EUH066: Repeated exposure may cause skin dryness or cracking EUH401: To avoid risks to human health and the environment, comply with the instructions for use



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

#### Precautionary statements (P)

<i>Prevention</i>	P202: Do not handle until all safety precautions have been read and understood P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking P243: Take precautionary measures against static discharge P280: Wear protective gloves/protective clothing/eye protection/face protection P271: Use only outdoors or in a well-ventilated area P273: Avoid release to the environment
<i>Precautionary</i>	P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P308+P313: IF exposed or concerned: Get medical advice / attention.
<i>Storage</i>	P405 : Store locked up
<i>Disposal</i>	P501: Dispose of contents/container in the prescribed manner in accordance with local regulations

#### 2.3. Other hazards

This material is classified as neither PBT nor vPvB. On the day of compiling the safety data sheet this product (mixture) does not contain substances found on the list of substances of high concern. (SVHC)

### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not relevant

#### 3.2. Mixtures

Name of the component	CAS No	EC No	Index no	REACH no	Classification in accordance with CLP/GHS <sup>1)</sup>	Content (%)
Tetrachloroethylene	127-18-4	204-825-9	602-028-00-4	01-2119475329-28	Karc. 2, H351 Aquatic Chronic 2, H411	<37
Ethyl acetate	141-78-6	205-500-4	607-022-00-5	-	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	<30

<sup>1)</sup> Classification in accordance with the Regulations on classification, packing, labelling and advertising chemicals and products in accordance with the GHS UN („Official Gazette of RS“ no. 105/13, 52/17, 21/19; 40/23 Regulation EC No 1272/2008). For full names of H labels see Section 16



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

#### SECTION 4. FIRST AID MEASURES

##### 4.1. Description of first aid measures

<i>General advice</i>	Consult a physician. Show this safety data sheet to your doctor.
<i>If inhaled</i>	Remove the injured person to fresh air and allow them to rest in a position comfortable for breathing. If the injured person is not breathing, use artificial respiration. Consult a physician. If the contaminated person does not feel well, call a doctor. Avoid refrigeration. Give mouth-to-mouth artificial respiration with either a mechanical ventilator or a contaminated oxygen mask. It is necessary to call a doctor immediately
<i>Skin contact:</i>	Rinse the affected area with plenty of water for at least 15 minutes and then remove all contaminated clothing and shoes. Remove the glue from the skin with a cotton or cellulose cloth and then rinse thoroughly with water and soap. Consult a physician. Take off clothes and shoes and wash before reusing. Wash skin with soap and water and seek medical advice.
<i>Eye contact:</i>	Rinse your eyes with plenty of water first, and remove the lens contact if possible. Keep eyes wide open while rinsing. Longer contact can lead to dermatitis. Consult a doctor if necessary. Seek medical attention immediately.
<i>Ingestion:</i>	It can cause stomach upset. Never give anything through the mouth of an unconscious person. Rinse mouth with water. Seek medical attention if poisoning effects develop. <b>Do not induce vomiting.</b>

##### 4.2. Most important symptoms and effects, both acute and delayed

<i>Respiratory organs contact:</i>	High concentration causes irritation
<i>Skin contact:</i>	Irritates skin.
<i>Eye contact:</i>	Causes eye irritation.

##### 4.3. Indication of any immediate medical attention and special treatment needed

See section 4.1.



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content, „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

## SECTION 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

<i>Suitable extinguishing media:</i>	In case of fire, use a carbon dioxide (CO <sub>2</sub> ) fire extinguisher, dry powder fire extinguisher
<i>Unsuitable extinguishing media:</i>	Does not have

### 5.2. Special hazards arising from the substances and mixture

During fire it may form toxic and irritating vapours. Since the material is toxic to aquatic organisms, avoid water from firefighting to enter waterways and sewage.

### 5.3. Advice for firefighters

In case of fire, immediately isolate the scene by removing all people from the area. Take fire-fighting measures appropriate to local conditions. Firefighters must use fire-fighting equipment (EN 469), fire-fighting gloves (EN659) and boots in combination with a personal breathing apparatus (EN 137).

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment – defined in Section 8.

Empty the surrounding area, do not undertake anything that could endanger the staff. Prevent the entry of unnecessary staff. Do not breathe vapor or mist. Only qualified persons with appropriate protective equipment can intervene.

### 6.2. Environmental precautions

Ensure that material does not reach watercourses, sewers and soil. In case of large spills, and product enters the ground water or sewage system, notify supervising authorities.

### 6.3. Methods and material for containment and cleaning up

The liquid part of the material spilled should be soaked up with material such as: sand, sawdust, acid binder, universal binder. The collected material should be disposed of in containers, labelled and treated as hazardous waste



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content, „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

#### 6.4. Reference to other sections

See Section 1 – for information on contact in emergency cases

See Section 8 – for information on personal protection equipment

See Section 13 – for information of waste treatment

### SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Use protective equipment defined in Section 8. Handle material only in a well-ventilated room. Do not use food or drink at work. Wash your hands with soap and water before eating, drinking or smoking. Take off contaminated clothing and shoes and wash before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in original packaging in enclosed spaces at storage temperature 5°C-25°C, away from direct sunlight and sources of ignition.

#### 7.3. Specific end use (s)

Use the product according to the manufacturer's technical instructions. When using small quantities compared to the packaged product, close the original packaging and store in the storage area according to the instructions for storage.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

Name	CAS No	Limit values				TWA		STEL	
		GVI		KGVI		mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm
		mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm				
Tetrachloroethylene	127-18-4	-	-	-	-	-	100	-	25

\* Limit values for GVI and KGVI taken from our Rules on preventive measures for safe and healthy work when exposed to chemical substances ("Official Gazette of the RS" No. 106 / 2009, 117/1, 107/21). Data for TWA and STEL were taken from MSDS manufacturers. For full abbreviations see Section 16



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content, „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

## 8.2. Exposure controls

<i>Technical control:</i>	Use only with good ventilation in the workplace. Local ventilation to be applied exposure sites, high efficiency, 90-95%
<i>Eye protection:</i>	When the hazard assessment indicates that it is necessary, eye protection equipment should be used in accordance with the approved standard, in order to avoid exposure to liquids spraying. If the assessment does not indicate that a greater measure of protection is necessary, it is necessary to wear goggles for protection against chemicals that spray.
<i>Skin protection:</i>	Use chemical resistant nitrile gloves in the category of standard EN 374. For prolonged or repeated exposure to the product, gloves with protection category 6 (penetration time longer than 480 minutes according to EN 374) are recommended. In the case of short-term exposure, protection category 2 is recommended (penetration time longer than 30 minutes according to EN 374). Use proper glove removal technique (without touching the outer surface of the glove) to avoid skin contact with this product. Remove contaminated gloves after use in accordance with applicable laws and good laboratory practice. Wash and dry your hands.
<i>Body protection:</i>	Protective work suit
<i>Respiratory protection:</i>	The rooms in which work is done must have adequate ventilation. Use a protective mask if the concentration in the work area is above the permitted limit values.
<i>Thermal hazards protection:</i>	No data available
<i>Environmental exposure control:</i>	Do not throw material into watercourses and municipal waste

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<i>Appearance:</i>	Gray homogenous solution
<i>Odour:</i>	of organic solvents
<i>Odour threshold:</i>	Data is not available
<i>pH:</i>	Data is not available



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

Melting point / freezing point:	Data is not available
Initial boiling point or boiling range:	Data is not available
Flash point(ISO 3679) °C :	<0
Evaporation rate :	Data is not available
Flammability:	Flammable
Upper / lower flammability or explosive limits:	Data is not available
Vapour pressure:	Data is not available
Vapour density:	Data is not available
Relative density,(ISO 2811,20°C) g/cm <sup>3</sup> :	1,31
Solubility:	Soluble in organic solvents, insoluble in water
Partition coefficient: n octanol / water:	Data is not available
Auto-ignition temperature:	Data is not available
Decomposition temperature:	Data is not available
Viscosity, (ISO 2431, Ø8,20°C),s:	20 ± 3
Explosive properties:	Data is not available
Oxidising properties:	Does not have

### 9.2. Other information

Dry matter (ISO 3251),%	min.30
Dynamic viscosity 20°C,(ISO 3219) mPas	1200-1500
Application	By brush
Consumption per layer, g/m <sup>2</sup>	200 - 250



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

The material is not reactive under normal conditions

### 10.2. Chemical stability

Material is stable under normal conditions – for handling, application and transport. Store at room temperature in closed, original packaging

### 10.3. Possibility of hazardous reactions

No data is available

### 10.4. Conditions to avoid

Extremely high and low temperatures

### 10.5. Incompatible materials

Oxidising substances

### 10.6. Hazardous decomposition products

No data is available

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<i>Acute toxicity:</i>	<p>No data available on acute toxicity for the product.</p> <p>Acute toxicity for the ingredients</p> <p><b>tetrachloroethylene – cas no 127-18-4</b></p> <p>oral LD*50 &gt; 3000 mg/kg (rat)</p> <p>dermal LD*50 &gt; 10 000 mg/kg (rabbit)</p> <p>inhalation LD*50/4h – 3786 ppm</p> <p><b>Ethyl acetate –cas no 141-78-6</b></p> <p>Oral LD*50 &gt; 4934 mg/kg (rabbit);11,3ml/kg(rat)</p> <p>dermal LD*50 &gt; 20000 mg/kg (rabbit)</p> <p>inhalation LC*L<sub>0</sub>/6h 6000ppm (rabbit)</p>
------------------------	--



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content, „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

<i>Skin corrosion / irritation:</i>	Based on data available criteria for classification were not met.
<i>Serious eye damage / irritation:</i>	May cause eye sensitisation
<i>Respiratory or skin sensitisation:</i>	Based on data available criteria for classification were not met.
<i>Germ cell mutagenicity:</i>	Based on data available criteria for classification were not met.
<i>Carcinogenicity:</i>	Suspected of causing cancer
<i>Reproductive toxicity:</i>	Based on data available criteria for classification were not met.
<i>Specific Target Organ Toxicity (STOT) – single exposure:</i>	May cause drowsiness or dizziness
<i>Specific Target Organ Toxicity – repeated exposure:</i>	Data is not available
<i>Aspiration hazard:</i>	Based on data available criteria for classification were not met.
<i>Information on possible routes of exposure (swallowing, inhalation, contact with skin):</i>	Data is not available
<i>Symptoms related to physical, chemical and toxicological properties:</i>	Data is not available
<i>Delayed and onset effects, as well as chronic effects due to short and prolonged exposure:</i>	Data is not available
<i>Interactive effects:</i>	Data is not available
<i>When specific chemical data is not available:</i>	Data is not available
<i>Compound data in relation to data on substance in it:</i>	Data is not available
<i>Other information:</i>	When the product is used according to the instructions, it does not cause harmful effects based on our experiences and the information we have received

Data on acute toxicity were taken from the ECHA site. For full abbreviations see Section 16

### 11.2. Information on other hazards

The product is not an endocrine disruptor



## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content, „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

## SECTION 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Data is not available for acute and chronic toxicity for the mixture.

Acute toxicity for the ingredients

#### Tetrachloroethylene –cas no 127-18-4

Fish	LC*50/ 4 dana	5 mg/l
Daphnia	EC*50/48h	8,5 mg/l
Algae	EC*50/72h	3,64mg/l

#### Ethyl- acetate- cas no 141-78-6

Fish	LC*50/4 dana	230 mg/l
Daphnia	IC*50/24h	346-655 mg/l
Algae	EC*50/48h	5,6 g/l

Chronic toxicity for the ingredients:

#### Tetrachloroethylene –cas no 127-18-4

Fish	NOEC / 28 dana	2,34 mg/l
	NOEC/ 10 dana	1,99 mg/l
Daphnia	NOEC / 28 dana	510 µg/l
Algae	NOEC	1,77 mg/l

#### Ethyl-acetate- cas no 141-78-6

Fish	NOEC / 32 dana	9,65mg/l
Daphnia	NOEC / 21 dan	24mg/l
Algae	NOEC / 72h	100 mg/l

Data on acute and chronic toxicity were taken from the ECHA site. For full names of abbreviations see Section 16

### 12.2. Persistence and degradability

Data is not available

### 12.3. Bioaccumulative potential

Data is not available

### 12.4. Mobility in soil

Data is not available

### 12.5. Results of PBT and vPvB assessment

The material does not meet the criteria for classification in the PBT nor vPvB substances.

### 12.6. Endocrine disrupting properties

Not known



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

#### 12.7. Other adverse effects

Not known

### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Make the most of the material. Leave the empty packaging open so that the remains of the solvent completely evaporate. Treat the solid residue from the dried glue as well as the packaging as non-hazardous waste.

Waste index number according to the Waste Catalogue: 15 01 04 - Annex 7 of the Rulebook on categories, testing and classification of waste (Official Gazette of the RS" no. 56/10, 93/19)

### SECTION 14. TRANSPORT INFORMATION

#### 14.1. UN number or ID number

UN number:	1133
------------	------

#### 14.2. UN proper shipping name

UN proper shipping name:	ADHESIVES containing flammable liquid
--------------------------	---------------------------------------

#### 14.3. Transport hazard class(es)

ADR/RID:	3
ADN:	3
IATA:	3
IMDG:	3

#### 14.4. Packing group



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content, „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

## PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

Packing group:

III

### 14.5. Environmental hazards

Do not empty directly into drains and sewers.

### 14.6. Special Precautions for user

Classification code F1. Transport category (Tunnel restriction code) D/E. Limited quantities 5l. Excepted quantities E1

### 14.7. Maritime transport in bulk according to IMO instruments

Not transported

## SECTION 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

- Law on Chemicals („Official Gazette of RS“, no. 36/09, 88/10, 92/11, 93/12, 25/15,)
- Law on Environmental Protection („Official Gazette of RS“, no. 135/04, 36/09,72/09,43/11,14/16, 76/18,95/18)
- Law on Safety and Health at Work („Official Gazette of RS“, no. 101/05, 91/15,113/17),
- Law on the transport of dangerous goods („Official Gazette of RS“, no. 104/16, 83/18, 95/18,10/19)
- Law on Waste Management („Official Gazette of RS“, no.36/09,88/10,14/16,95/18,35/23)
- Rulebook on Classification, Packing, Labeling and Advertising of chemicals and products in accordance with GHS UN („Official Gazette of RS“, no.105/13,52/17,21/19;40/23 Regulation EC No 1272/2008)
- Rulebook on the content of the Safety Data Sheet („Official Gazette of RS“, no. 100/11)
- Rulebook on restrictions and prohibitions of production, marketing and use of chemicals („Official Gazette of RS“, no. 90/13; 25/15; 2/16; 44/17; 36/18; 9/20; 57/22);-Annex XVII REACH-a
- Rulebook on preventive measures for safe and healthy work during exposure to chemical substances („Official Gazette of RS“, no. 106/2009,117/17,104/21)
- Rulebook on the manner of storage, packaging and marking of hazardous waste ("Official Gazette of RS" No. 92/10; 77/21)
- Rulebook on categories, testing and classification of waste ("Official Gazette of RS" No. 36 /10,93 /19,39 /21)
- List of classified substances („Official Gazette of RS“, no. 41/23)

*Note: The laws and regulations used to compile the safety data sheet are in line with the REACH regulation*

### 15.2. Chemical safety assessment

A Chemical Safety Assessment has not been carried out.



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

### PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

#### SECTION 16. OTHER INFORMATION

##### The reason for revision of the Safety Data Sheet

-The safety data sheet has been revised due to changes in product classification and changes in sections: **13, 14, 15** and due to the change of document designation

- Previous version / revision date: r01/10.12.2021

- Previous document designation: BL.008

*With the date of the latest version / revision will be replaced by all previous editions*

##### List of abbreviations and acronyms listed in the Safety Data Sheet with an explanation of the meaning

<b>CLP</b>	Classification, labeling and packaging of substances and mixtures
<b>CAS No</b>	Chemical Abstracts Service Number-numeric code assigned by the American Chemical Society, which uniquely identifies each chemical
<b>EC No</b>	A seven-digit code assigned to a chemical that is commercially available in the European Union.
<b>ADR/RID</b>	European Agreement Concerning the International Carriage of Dangerous Goods by Road.
<b>ADN</b>	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
<b>IMDG</b>	International regulation on the sea transport of dangerous goods.
<b>ICAO/IATA</b>	International regulation on air transport of dangerous goods.
<b>LC50</b>	Concentration of the chemical that is lethal to 50% of the test population during a predetermined exposure period.
<b>LD50</b>	Medium lethal dose — a statistically derived single dose of a chemical that is lethal to 50% of the test population when administered orally. The LD50 value is expressed per unit mass of test substance per unit body weight of the experimental animal (mg / kg)
<b>EC50</b>	Concentration of the chemical that is estimated to lead to immobilization of 50% of the population exposed to the chemical during a predefined period.
<b>IC50</b>	Half the maximum concentration to inhibit biological or biochemical function
<b>DNEL</b>	Derived No Effect Levels-exposure level above which people should not be exposed (derived data)
<b>PNEC</b>	Predicted No Effect Concentration- the concentration of the substance below which no worrying adverse effects on the environment are expected.
<b>PEL</b>	Permissible exposure limit - permissible exposure limit during eight-hour working hours.
<b>PBT</b>	Substance persistent, bioaccumulative or toxic.



# InterStik d.o.o.

## SAFETY DATA SHEET

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

## PRIMER SC

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

<b>vPvB</b>	Substance very persistent or very bioaccumulative.
<b>GVI</b>	Exposure limit within the workplace (Serbian abbreviation).
<b>KGVI</b>	Short Term Exposure Level (Serbian abbreviation).
<b>TWA</b>	Time Weighted Average- the average time that workers can be exposed to the chemical without negative effects during the average working time (8 hours a day, or 40 hours a week). Used when exposure time and concentration vary over time.
<b>STEL</b>	Short-Term Exposure Limit- a limit value above which exposure to chemicals should not go and usually refers to a reference period of 15 minutes.
<b>NOEC</b>	No observed effect concentration (NOEC) is the test concentration just below the lowest tested concentration with a statistically significant adverse effect

### Literature used for compiling this Safety Data Sheet

For the compilation of the Safety Data Sheet were used:

- Laws and Regulations listed in Section 15.1
- GHS in practice
- European Agreement concerning the International Carriage of Dangerous Goods by Road – ADR
- MSDS from the Manufacturer chemicals
- <http://www.ekologija.gov.rs>
- <http://echa.europa.eu>
- <http://www.utot.gov.rs>

### Full name of labels mentioned in this Safety Data Sheet

*Full text of H – Statements:*

- H319: Causes serious eye irritation
- H225: Highly flammable liquid and vapour
- H351: Suspected of causing genetic defects
- H336: May cause drowsiness or dizziness
- H411: Toxic to aquatic life with long-lasting effects

### Advice on appropriate training for employees for protection of human health and environment

The Safety Data Sheet has been prepared according to the data available on the day of compiling and the information from this Safety Data Sheet must be available to all users of the product.

#### **DISCLAIMER OF LIABILITY OF THE MANUFACTURER:**

The manufacturer has no control or knowledge of the conditions that affect the handling, storage, use, disposal and disposal of this product. The manufacturer is therefore not responsible for any harmful consequences that may occur during handling, storage, use or disposal of the product. and disclaims liability for any loss, damage, expense arising out of or in any way connected with the storage, handling, use or disposal of the product. If the user changes the packaging, it is his responsibility to label the product in the new packaging in the same way as on the original packaging. The user is responsible for the use of the product, the application of safety and health measures at work and the protection of the environment

**InterStik d.o.o.****SAFETY DATA SHEET**

(harmonized with the Regulations on Safety Data Sheet Content , „Official Gazette of RS“ 100/11),  
Harmonized with Commission Regulation (EU) 2020/878)

**PRIMER SC**

Date of production:	30.08.2020
Version/ date:	01
Revision/ date:	02 / 05.01.2024
Document designation:	BL 01.016

in accordance with this Safety Data Sheet and in accordance with applicable laws and regulations. As we cannot influence the proper use of our product, the information in the Safety Data Sheet has no contractual relationship.